

Uniclass L325:P4142		Epic F631:X442
CI/Sfb	(31.9)	Hh2
1 March 2011		

**catnic**<sup>®</sup>

A Tata Steel Enterprise




## Lintels Trade Price List

1 March 2011






## Cavity Wall Lintels




### 50–65mm Cavity Wall



### 70–85mm Cavity Wall



### 90–105mm Cavity Wall






(mm)	CG50/100	CH50/100	CX50/100	CG70/100	CH70/100	CX70/100	CG90/100	CH90/100	CX90/100
750	–	–	–	58.62	–	–	62.13	–	–
900	72.16	82.16	121.28	69.99	82.17	121.76	72.78	99.45	132.11
1050	–	94.64	142.19	81.71	96.28	149.60	83.22	116.63	152.91
1200	93.52	106.49	161.12	93.39	109.31	169.19	97.04	133.32	173.42
1350	–	121.73	182.53	105.01	124.18	184.69	109.22	149.91	194.06
1500	120.87	145.26	199.83	116.66	156.77	202.24	121.33	172.14	214.71
1650	–	176.22	221.12	131.35	190.30	223.91	133.71	194.26	232.33
1800	150.24	196.67	232.43	146.03	206.43	235.29	146.03	211.45	255.45
1950	–	226.08	260.75	–	230.66	265.91	164.30	234.25	287.65
2100	172.51	257.78	279.60	167.01	258.87	274.50	173.70	262.21	308.21
2250	–	271.37	315.13	–	279.05	320.98	197.29	305.51	331.34
2400	211.46	320.04	332.17	198.00	322.16	370.66	209.44	327.47	370.18
2550	–	–	345.27	–	–	394.79	230.10	–	429.39
2700	240.01	–	389.29	228.51	–	422.79	250.79	–	455.01
2850	–	–	426.40	–	–	445.19	300.62	–	479.43
3000	332.29	–	450.04	325.18	–	470.10	326.26	–	513.81
3300	370.93	–	518.40	360.85	–	548.07	369.81	–	588.85
3600	407.03	–	564.49	393.57	–	599.01	405.84	–	642.43
3900	–	–	649.87	–	–	666.06	–	–	716.47
4200	–	–	721.39	–	–	744.56	–	–	821.53
4575	–	–	808.97	–	–	812.73	–	–	921.76
4800	–	–	847.84	–	–	862.33	–	–	983.22

## Wide Outer Leaf – Cavity Wall Lintels 140-150mm WOL

50mm

75mm




100mm



(mm)	CN42C	CN99/124C	CN99/1644C
750	94.58	94.58	94.58
900	112.86	112.86	112.86
1050	132.37	132.37	132.37
1200	151.13	151.13	151.13
1350	169.58	169.58	169.58
1500	188.19	188.19	188.19
1650	207.86	207.86	207.86
1800	226.81	226.81	226.81
1950	249.65	249.65	249.65
2100	263.46	263.46	263.46
2250	349.74	349.74	349.74
2400	376.76	376.76	376.76
2550	400.35	400.35	400.35
2700	423.84	423.84	423.84
2850	447.49	447.49	447.49
3000	471.14	471.14	471.14
3300	518.07	518.07	518.07
3600	572.79	572.79	572.79
3900	749.57	749.57	749.57
4200	807.02	807.02	807.02
4575	–	–	–
4800	–	–	–

## Single Leaf Lintels

Exterior Solid Wall: 102mm






(mm)	MBA	ANG	CCS
750	26.13	–	41.70
900	–	41.83	49.70
1050	–	48.79	58.33
1200	–	55.66	66.43
1350	46.95	62.63	74.98
1500	–	69.64	83.21
1650	–	86.17	91.44
1800	–	93.97	99.82
1950	–	101.70	136.93
2100	–	110.82	147.45
2250	–	143.87	158.00
2400	–	153.23	168.52
2550	–	222.52	238.73
2700	–	235.65	252.78
2850	–	259.21	266.82
3000	–	285.14	280.86
3300	–	397.58	494.23
3600	–	433.73	539.17
3900	–	469.87	584.10
4200	–	–	629.02
4575	–	–	685.18
4800	–	–	718.89

## External Solid Walls

Exterior Solid Wall:  
200 & 215mm

Fairface Brick:  
215mm



(mm)	CN71A	CN71C	CN81B	CN81C	CN50C	CN51C
750	76.46	–	–	–	76.46	–
900	91.81	153.15	–	–	91.81	–
1050	106.94	178.67	–	–	106.94	–
1200	118.57	204.19	–	–	118.57	–
1350	137.17	229.69	–	–	137.17	–
1500	155.29	255.25	–	–	155.29	–
1650	171.37	280.75	–	–	171.37	–
1800	187.46	306.27	–	–	187.46	–
1950	193.10	331.80	–	–	–	193.10
2100	218.44	–	366.00	454.96	–	218.44
2250	255.80	–	371.76	487.42	–	255.80
2400	272.04	–	396.48	499.30	–	272.04
2550	281.19	–	421.29	516.54	–	281.19
2700	297.63	–	437.91	530.25	–	297.63
2850	–	–	446.65	573.18	–	–
3000	–	–	458.27	602.59	–	–
3300	–	–	478.79	623.62	–	–
3600	–	–	540.63	677.15	–	–
3900	–	–	–	730.88	–	–
4200	–	–	–	775.57	–	–
4575	–	–	–	812.98	–	–
4800	–	–	–	866.53	–	–


**Please Note:** Prices shown in italics are non-stocked products and are available in 6 working days.

## Cavity Wall Lintels

### 110–125mm Cavity Wall

### 130–145mm Cavity Wall

### 150–165mm Cavity Wall




(mm)	CG110/100	CH110/100	CX110/100	CG130/100	CH130/100	CX130/100	CG150/100	CH150/100	CX150/100
750	-	-	-	-	-	-	-	-	-
900	85.85	134.52	159.32	112.07	137.79	163.92	116.82	143.27	167.60
1050	100.16	156.93	185.87	130.75	160.77	191.24	136.29	167.13	195.54
1200	114.48	179.35	212.42	149.42	183.72	218.56	155.75	191.01	223.47
1350	128.78	201.77	238.72	168.09	206.69	245.88	175.22	214.89	251.41
1500	143.08	224.19	265.53	186.78	229.65	273.20	194.68	238.77	279.33
1650	196.74	246.59	292.08	205.44	252.62	300.52	214.15	262.63	307.27
1800	214.64	269.02	318.62	224.12	275.57	327.84	233.63	286.52	335.20
1950	244.85	348.30	345.17	255.15	357.78	355.15	261.31	369.62	363.14
2100	263.69	375.10	371.73	274.77	385.29	382.47	281.42	398.05	391.06
2250	398.85	401.87	398.28	-	412.81	461.01	420.23	426.48	471.37
2400	425.45	428.67	477.93	438.11	440.33	491.74	448.24	454.91	502.79
2550	452.03	-	507.80	-	-	522.47	476.25	-	534.22
2700	478.63	-	537.67	492.87	-	553.23	504.27	-	565.64
2850	505.21	-	567.55	520.26	-	583.95	532.27	-	597.06
3000	530.91	-	597.41	547.63	-	614.68	560.29	-	628.49
3300	584.99	-	711.73	602.39	-	812.90	616.31	-	831.89
3600	638.17	-	798.23	657.16	-	886.79	672.35	-	907.51
3900	-	-	911.21	-	-	960.68	-	-	983.13
4200	-	-	993.02	-	-	1,034.58	-	-	1,058.76
4575	-	-	1,083.16	-	-	1,126.96	-	-	1,153.29
4800	-	-	1,134.06	-	-	1,182.38	-	-	1,210.01

## Internal Solid Wall Lintels

### 75mm Wall 100mm Wall

### 140-150mm Wall



(mm)	CN92	CN102	CN100	CN5XA	CN5XC	CN6XB	CN6XC	CN99/438C	CN66XC	CN56XA	CN99/436C
750	-	-	-	61.15	103.35	-	-	-	-	-	-
900	-	-	-	67.11	124.03	-	-	-	-	-	-
1050	12.62	15.96	38.97	73.58	144.69	-	-	-	-	67.11	-
1200	14.27	17.62	48.42	75.48	168.54	-	-	-	-	79.42	-
1350	-	-	56.58	80.09	184.36	-	-	-	-	92.46	-
1500	-	-	59.85	84.80	201.29	-	-	-	-	99.20	-
1650	-	-	-	107.39	205.44	-	-	-	201.43	120.01	-
1800	-	-	60.62	117.48	220.34	-	-	-	221.01	133.12	-
1950	-	-	-	127.85	228.92	-	-	-	251.80	143.88	-
2100	-	-	70.51	134.27	-	232.61	341.86	-	271.13	155.94	-
2250	-	-	-	151.02	-	249.09	347.30	-	290.52	167.34	-
2400	-	-	-	161.15	-	265.65	375.22	-	312.70	178.62	-
2550	-	-	-	174.53	-	282.25	376.58	-	329.33	189.83	-
2700	-	-	-	184.61	-	298.86	381.39	-	353.90	201.24	-
2850	-	-	-	-	-	304.34	384.38	-	369.90	-	-
3000	-	-	-	-	-	320.45	398.28	698.32	395.84	-	783.66
3300	-	-	-	-	-	353.80	403.72	768.18	416.75	-	862.00
3600	-	-	-	-	-	387.02	435.90	837.99	438.41	-	940.35
3900	-	-	-	-	-	-	458.23	907.84	479.48	-	1,018.72
4200	-	-	-	-	-	-	492.66	977.67	525.21	-	1,097.07
4575	-	-	-	-	-	-	608.79	1,063.15	608.79	-	-
4800	-	-	-	-	-	-	626.73	1,117.33	651.24	-	1,253.83


\* **CN100**: 50mm depth for lengths 1050, 1200, 1800 & 2100. 76mm depth for length 1500.

## Wide Inner Leaf – Cavity Wall Lintels 125-140mm WIL

### 50–65mm Cavity Wall

### 70–85mm Cavity Wall

### 90–105mm Cavity Wall




(mm)	CG50/125	CH50/125	CX50/125	CG70/125	CH70/125	CX70/125	CG90/125	CH90/125	CX90/125
750	–	–	–	74.62	–	–	82.99	–	–
900	69.99	94.40	131.19	89.11	122.68	134.20	99.59	143.55	147.98
1050	–	121.33	153.05	107.61	143.55	165.22	116.29	169.63	184.01
1200	93.39	132.55	176.16	117.11	168.31	180.31	130.77	187.03	204.14
1350	–	152.21	196.77	137.10	201.52	211.55	139.32	216.79	232.47
1500	120.01	175.86	218.63	147.38	224.10	228.43	163.07	237.19	283.35
1650	–	197.86	234.32	183.61	253.46	263.82	187.90	334.04	334.33
1800	149.05	218.26	252.39	202.27	276.70	282.78	206.32	360.26	364.75
1950	–	258.67	273.28	–	324.57	328.39	–	390.00	395.13
2100	172.07	278.95	304.83	238.18	348.49	359.70	244.51	424.11	433.37
2250	–	301.43	346.80	–	376.81	413.83	–	455.91	464.36
2400	209.78	321.59	382.06	328.84	416.61	448.30	345.39	486.31	495.28
2550	–	–	425.74	–	–	476.30	–	–	526.25
2700	240.01	–	475.98	386.10	–	504.31	399.66	–	564.87
2850	–	–	524.55	–	–	558.02	–	–	589.93
3000	331.53	–	580.96	537.60	–	601.51	574.82	–	641.86
3300	–	–	639.16	–	–	662.49	–	–	715.45
3600	–	–	697.25	–	–	744.06	–	–	796.86
3900	–	–	754.81	–	–	798.16	–	–	850.12
4200	–	–	838.48	–	–	875.37	–	–	911.27
4575	–	–	898.77	–	–	943.04	–	–	989.02
4800	–	–	958.41	–	–	996.61	–	–	1,036.66

## Closed Eaves – Cavity Wall Lintels

### 50-85mm

### 90-105mm

### 50-75mm



(mm)	CGE 50/100	CGE 90/100	CN55A	CN55C
750	–	42.03	–	–
900	47.86	50.80	56.20	139.48
1050	–	61.38	–	–
1200	62.40	67.39	73.26	185.92
1350	–	75.85	–	–
1500	79.77	85.53	93.63	232.47
1650	–	95.12	106.39	255.66
1800	108.35	116.95	133.39	278.91
1950	–	–	146.79	302.13
2100	131.79	137.09	154.67	325.39
2250	–	–	–	–
2400	177.90	195.27	204.90	371.87
2550	–	–	–	–
2700	199.74	219.55	230.52	418.37
2850	–	–	–	–
3000	–	–	–	–
3300	–	–	–	–
3600	–	–	–	–
3900	–	–	–	–
4200	–	–	–	–
4575	–	–	–	–
4800	–	–	–	–


## Timber Frame – Cavity Wall Lintels

### 50-60mm

### 70-80mm

### 90-100mm







### 35-60mm



(mm)	CTF5	CTF7	CTF9	CN23B	CN23C
750	25.70	26.95	31.88	72.91	–
900	30.68	32.34	37.65	87.48	–
1050	35.99	37.70	44.20	102.08	–
1200	41.12	43.07	50.60	116.66	–
1350	48.37	61.10	57.35	131.22	–
1500	52.96	67.89	65.79	145.79	–
1650	65.55	80.98	80.14	160.41	–
1800	71.59	88.35	89.77	174.97	–
1950	80.63	95.71	101.56	189.55	–
2100	88.40	103.08	109.39	204.14	–
2250	108.08	110.45	124.42	218.72	–
2400	118.57	117.80	144.92	233.28	–
2550	128.81	180.97	166.67	247.88	–
2700	137.67	191.65	176.71	262.45	–
2850	181.59	202.27	222.25	277.02	–
3000	191.19	212.91	233.97	291.61	–
3300	212.63	252.36	335.84	320.76	–
3600	318.02	275.29	366.38	349.93	–
3900	344.62	326.41	452.08	–	536.08
4200	371.16	351.55	486.86	–	577.31
4575	397.59	382.90	530.32	–	628.89
4800	417.96	401.75	556.41	–	659.83

Heavy duty CTF's are available on request. All timber frame lintels must be fixed using restraint clips which are supplied free of charge.

## Extreme Loading– Cavity Wall Lintels

50mm	70mm	90mm	110mm	130mm	150mm
					
<b>CXL240</b>	<b>CXL265</b>	<b>CXL290</b>	<b>CXL310</b>	<b>CXL330</b>	<b>CXL350</b>
412.31	446.93	516.20	583.85	602.19	620.54

Price £/metre

Product available in 6-10 working days.

## Arch Lintels



### Standard Semi-circular Arch Lintels

<b>CCA600</b>	<b>CCA630</b>	<b>CCA900</b>	<b>CCA915</b>	<b>CCA1200</b>
271.85	281.71	370.95	376.07	471.70
<b>CCB600</b>	<b>CCB630</b>	<b>CCB900</b>	<b>CCB915</b>	<b>CCB1200</b>
289.32	299.87	394.94	400.41	502.40

Product available in 5 working days.

### Arch Centres

Code	Lintel	Structural opening (mm)	Rise £/Each (mm)	£/Each (mm)
ACA0475	475	450-500	75	60.76
ACA0625	625	600-650	75	68.29
ACA0675	675	650-700	75	74.23
ACA0875	875	850-900	75	79.87
ACA0925	925	900-950	75	82.48
ACA1075	1075	1050-1100	75	88.81
ACA1225	1225	1200-1250	75	95.40
ACA1375	1375	1350-1400	75	103.36
ACA1475	1475	1450-1500	75	111.85
ACA1625	1625	1600-1650	75	120.75
ACA1775	1775	1750-1800	75	130.21
ACB2125	2125	2100-2150	150	201.12
ACB2325	2325	2300-2350	150	221.67
ACB2425	2425	2400-2450	150	221.68

Supplied in white. Made under licence. British Patent No. 2063953  
Note: ACA = 75mm rise, ACB = 150mm rise.

## Catnic Lintel Pricelist

All prices shown in GBP. For advice on the most appropriate lintel for wall constructions, loadings, products not listed in this price list or for further technical details, please contact the Catnic Technical Services department on 029 2033 7900

**Tel: 029 2033 7900**

To order or enquire about any Catnic product, please call Customer Services on 029 2033 7900 or fax 029 2086 7796.

### Lintel availability (all lintels):

Standard stocked products 3-5 working days.  
Non-stocked products 6 working days unless stated otherwise.

A small surcharge will be levied on all orders less than £850 net value.

All dimensions in millimetres (mm).

[www.catnic.com](http://www.catnic.com)

[www.twitter.com/catnicuk](https://www.twitter.com/catnicuk)

## Special Lintels

A range of exciting shapes for unique designs and feature brickwork to inspire today's architects and builders.

Prices available on application. All made to order lintels are available in 10 working days from receipt of order and approved drawing.

### Examples



Ace of Clubs lintel



Parabolic Arch lintel



Bull's Eye lintel

## Stainless Steel Lintels

All galvanised steel lintel products shown in the current lintel brochure are available in stainless steel. Special lintels are also available in stainless steel. Prices available on application.

## Steelwork

Universal Beams, Universal Channels and Parallel Flange Channels available for when loading conditions exceed our standard range of lintel. Prices available on application.

## Juliet Balconies

A standard range of Juliet Balconies are available from Catnic. Juliet Balconies are commonly used to provide a safety barrier in front of French windows. Prices available on application.

## Accessories

### Weep Vents†: 50 per box

Terracotta	Grey	Beige
40.01	40.01	40.01

### PVC-U Soffit Cladding†: Price per metre

FC White	FC Brown	RC White
9.96	9.96	10.16

### Stop Ends†: 50 per box

C90	CL3
79.34	79.34

### External Plaster Key

<b>PKS87</b>
79.92 per pack – 10 x 1.2m

† These products are excluded from our BS ISO 9001 registration as they are not manufactured on Catnic premises.



[www.catnic.com](http://www.catnic.com)

Catnic Conditions of Sale can be downloaded from [www.catnic.com](http://www.catnic.com)

This price list supersedes all previous lists. All prices are for normal UK delivery, £ Sterling and exclusive of VAT. Catnic reserves the right to revise prices and product specifications described herein without prior notice.

Care has been taken to ensure that the contents of this publication are accurate, but Tata Steel Europe Limited and its subsidiaries do not accept responsibility or liability for errors or information that is found to be misleading.

© Copyright 2011 Catnic

**Catnic**

Pontypandy Industrial Estate

Caerphilly

CF83 3GL

T: 029 2033 7900

F: 029 2086 7796

[www.catnic.com](http://www.catnic.com)

English version



EN ISO 9001 : 2000  
Certificate No. FM14913



BBA  
BRITISH BOARD OF AGREEMENT  
Certificate No. 91/2638



CERTIFIED TO BRITISH STANDARD  
BS 5897  
LICENCE No. KM07234

CLPL:1000:UK:02/2011